



## West Australian Immunisation Schedule

23 January 2018

AGE	ANTIGEN	VACCINE BRAND	COMMENT
<b>CHILDHOOD AND ADOLESCENT</b>			
Birth to <7 days	Hepatitis B	H-B-Vax II Paed or Engerix-B Paed	
6 to 8 weeks	DTPa-hepB-IPV-Hib 13vPCV Rotavirus	Infanrix <i>hexa</i> Prevenar 13 Rotarix	Oral Dose 1: 6 - 14 weeks of age
4 months	DTPa-hepB-IPV-Hib 13vPCV Rotavirus	Infanrix <i>hexa</i> Prevenar 13 Rotarix	Oral Dose 2: 10 - 24 weeks of age
6 months	DTPa-hepB-IPV-Hib 13vPCV	Infanrix <i>hexa</i> Prevenar 13	
12 months	MMR Hib-MenCCV	MMR II or Priorix Menitorix	
Aboriginal only	Hepatitis A	Vaqa	
Pre-term or low birth weight	Hepatitis B	H-B-Vax II Paed or Engerix-B Paed	<32 weeks gestation or <2000g birth weight
Aboriginal and/or medically at risk	13vPCV	Prevenar 13	
18 months	MMRV DTPa	Priorix Tetra or ProQuad Infanrix or Tripacel	
Aboriginal only	Hepatitis A	Vaqa	
3½ to 4 years	DTPa-IPV	Quadracel or Infanrix IPV	
All medically at risk children	23vPPV	Pneumovax 23	
Year 8	HPV dTpa	<i>Gardasil</i> <sup>®</sup> 9** or Gardasil Boostrix or Adacel	**Two doses: 6 - 12 months apart

All persons aged <20 years of age are eligible to catch up vaccines above, as well as IPV and MenC.

<b>MENINGOCOCCAL ACWY</b>			
12 months to < 2 years	4vMenCV (A,C,W,Y)	Nimenrix	
2 to < 5 years	4vMenCV (A,C,W,Y)	Menveo	Refer MenACWY Vaccination Advice #
Year 10 and ages 15 to < 20 years	4vMenCV (A,C,W,Y)	Menveo	

# [http://ww2.health.wa.gov.au/Articles/F\\_1/immunisation-schedule-and-catch-up-immunisations](http://ww2.health.wa.gov.au/Articles/F_1/immunisation-schedule-and-catch-up-immunisations)

<b>ADULT</b>			
≥ 15 years Aboriginal and medically at risk	23vPPV	Pneumovax 23	
≥ 50 years Aboriginal only	23vPPV	Pneumovax 23	
≥ 65 years	23vPPV	Pneumovax 23	
70 to 79 years	Herpes-zoster	Zostavax	
Pregnant Women	dTpa	Boostrix or Adacel	Third trimester: 28 - 32 weeks preferred

Adult refugees and humanitarian entrants are eligible to catch up dTpa, Hepatitis B, IPV, MMR and VZV vaccines

<b>INFLUENZA</b>			
6 months to <3 years	Influenza	FluQuadri Junior	
3 years to <5 years	Influenza	Fluarix Tetra or FluQuadri	
≥ 5 years Aboriginal and/or medically at risk	Influenza	Fluarix Tetra or FluQuadri	
≥ 65 years	Influenza	Fluarix Tetra, FluQuadri, Afluria Quad*	
Pregnant Women	Influenza	Fluarix Tetra, FluQuadri, Afluria Quad*	During each pregnancy: any trimester
WA Health Staff	Influenza	Fluarix Tetra, FluQuadri, Afluria Quad*	

\*Afluria Quad is only registered for use in persons aged 18 years and above

For seasonal influenza vaccine information, refer to the ATAGI advice, link below:

<http://www.immunise.health.gov.au/internet/immunise/publishing.nsf/Content/immunisation-advisory-bodies>

The term Aboriginal is inclusive of Aboriginal and Torres Strait Islander people

For further information, refer to the Australian Immunisation Handbook link below

<http://www.immunise.health.gov.au/internet/immunise/publishing.nsf/Content/health-professionals>